SINO ORTHO®

SINO ORTHO LIMITED

(2025-2026)





[YOUR TRUST,OUR RESPONSIBILITY]











SINO ORTHO LIMITED located in the capital of Zheiang Province, P.R. China. Dedicated to orthodontic products since 1997, SINO ORTHO is the first one who make Monoblock brackets and buccal tubes by CNC technology, export since year of 2005 to more than 100 countries, over 3,000,000 users approved.

Full manufacturing and exporting experience in orthodontics bring us high quality products and better service. Excellent quality bring good fame for SINO ORTHO, CE and ISO 13485 certificated, and US FDA registered. We carrying full line orthodontics products based on our strict quality control system.

"Your Trust, Our Responsibility" is our spirits, to make better products and better service is our basic element to win our customers' reputation.

We are looking for distributors based on multi-win relationship.













CE FDA TÜV SÜD

ISO 13485

Table of Contents



01 Self-Ligating brackets P1-P6



02 Ceramic Brackets P7-P10



03 Metal Brackets P11-P19



04 Buccal Tubes P20-P22



05 Molar Bands P23-P30



06 Arch Wires P31-P34



07 Elastomerics P35-P40



08 Accessories P41-P48



09 Mini Screws P49-P50



10 Pliers P51-P54



11 Mirrors & Contrasors P55-P60

12 Instuments P61-P64



13 Products Packing P65-P68

WestLake-I Series
Ceramic Self-ligating brackets



Smooth chamfer and Water Grinding finish make it comfortable to wear and prevent soft tissue from scratching

Precision Archwire slot with higher torque control

The new auto-ligating structure lowers the general height, mitigating the uncomfortable feeling in the mouth



High-duty ceramic clasp with specially enhanced pulling style, more accurate and durable.

Contoured bonding base with generous undercuts for a strong grip and an easy debonding procedure.

Super translucency thanks to a pure polycrystalline ceramic



≫ Roth

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
In/Out mm	3.2	3.2	3.4	2.9	3.6	3.6	2.9	3.4	3.2	3.2
Width mm	0.5	0.5	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5

● Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	3.2	3.2	3.4	2.6	2.6	2.6	2.6	3.4	3.2	3.2
Width mm	0.5	0.5	0.5	1.0	1.0	1.0	1.0	0.5	0.5	0.5

Slot Size	Assortments Packs	Quantity	3,4,5 with Hook
0.022"	1 kit	20 pcs	WL-11

≫ MBT *

● Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.9	3.6	3.6	2.9	3.4	3.2	3.2

● Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	3°	0°	0°	0°	0°	3°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	1.0	1.0	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.6	2.6	2.6	2.6	3.4	3.2	3.2

Slot Size	Assortments Packs	Quantity	3,4,5 with Hook
0.022"	1 kit	20 pcs	WL-12

* Please consult our sales before placing order

WESTLAKE Series
Ceramic Brackets

It's made of Poly-crystalline (AL2O3)bioceramics, CIM technology.
Newest aesthetic design ceramic brackets, with Interactive Self-Ligating Clip
Contoured appearance for maximum comfort!





The Optimum Base
which is superior at bonding






Tooth colored clips coated
with rhodium







≫ Roth System

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.9	3.6	3.6	2.9	3.4	3.2	3.2

● Mandibular


Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	1.0	1.0	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.6	2.6	2.6	2.6	3.4	3.2	3.2


Slot Size	Assortments Packs	Quantity	3,4,5 with Hook
0.022"	1 kit	20 pcs	WL-01

GreatWall III Series
Metal Brackets

Interactive Self-Ligating brackets, Made of 17-4 stainless steel,
MIM advanced technology, Laser Welding bring more Ragid strength .
Newest Aesthetic desgin, Contoured apperance for more comfortable!
Laser mark base for easy identify.







≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-III-R01	GW-III-R11	GW-III-R21
0.022"	1 kit	20 pcs	GW-III-R02	GW-III-R12	GW-III-R22

≫ MBT System*

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-17°	-11°	-6°	-6°	-6°	-6°	-6°	-6°	-11°	-17°
Tip	0°	0°	3°	0°	0°	0°	0°	3°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-III-M01	GW-III-M11	GW-III-M21
0.022"	1 kit	20 pcs	GW-III-M02	GW-III-M12	GW-III-M22

* Please consult our sales before placing order

GreatWall II Series
Metal Brackets



The next-generation of GreatWall-II bracket is made from medical grade 17-4 stainless steel through high precision metal injection molding. The unique retentive clasp ensures each step to be perfect in place. It is durable and reliable. With less time required to install, doctors can save costs and improve efficiency.

Archwire slot is an integrated part made through side-core injection molding and precision polishing, resulting into high-quality and accurate.

The baseplate, by employing the new laser welding, eliminates potential deformation due to secondary heating of the brackets in traditional methods of welding.


Mechanical finish covering every corner makes the surface smooth and bright, offering the best wearing experience



Stainless steel 17-4 metal-injection molded construction for strength and durability

Integrated with passive auto-legating, the brackets is less resistant while continuously imposes aligning force on teeth

80 enhanced mesh, ensure better bonding



Laser Number Marking in the base for easy identification

≫ Roth System

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

● Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+6°	0°	0°	0°	0°	+6°	0°	0°
In/Out mm	0.6	0.6	0.6	0.6	0.55	0.55	0.6	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	2.6	2.6	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-II-R01	GW-II-R11	GW-II-R21
0.022"	1 kit	20 pcs	GW-II-R02	GW-II-R12	GW-II-R22

≫ MBT System

● Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

● Mandibular

Torque	-17°	-11°	-6°	-6°	-6°	-6°	-6°	-6°	-11°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	3.0	3.0	3.0	2.6	2.6	2.4	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-II-M01	GW-II-M11	GW-II-M21
0.022"	1 kit	20 pcs	GW-II-M02	GW-II-M12	GW-II-M22

≫ Pure Clear Self-Ligating Brackets



Removable Color coded ID dot.
For easy selection

Smooth and Strong hook
For Added patient comfort and
secure engagement of elastics

Pure Clear Monocrystalline Sapphire
Nearly invisible againset any ttoth shade
and stays crystal clear without staining

Archwires slot design
Enhances Sliding mechanics



Compound contour base
Provides ideal brackets fit.



Dove Tail Grooves.
Provide superior mechanical lock



≫ Roth

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.9	3.6	3.6	2.9	3.4	3.2	3.2

● Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	1.0	1.0	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.6	2.6	2.6	2.6	3.4	3.2	3.2

Slot Size	Assortments Packs	Quantity	3,4,5 with Hook
0.022"	1 kit	20 pcs	PCS-11

≫ MBT

● Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.9	3.6	3.6	2.9	3.4	3.2	3.2

● Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	3°	0°	0°	0°	0°	3°	0°	0°
In/Out mm	0.5	0.5	0.5	1.0	1.0	1.0	1.0	0.5	0.5	0.5
Width mm	3.2	3.2	3.4	2.6	2.6	2.6	2.6	3.4	3.2	3.2

Slot Size	Assortments Packs	Quantity	3,4,5 with Hook
0.022"	1 kit	20 pcs	PCS-21

≫ Spherical Self-Ligating Brackets

Feature:

1, Enclosing semi-spherical surface less irritation to soft tissue and less retention of food and plaque

2, With force dispersion from semi-spherical surface, only 1/20 force impacts on bracket with lower fall-off rate of bracket.

3,Bracket hook on central axis provides correct power for elastic bending .

4, One piece curved base better for bonding.





≫ Roth System

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

● Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+6°	0°	0°	0°	0°	+6°	0°	0°
In/Out mm	0.6	0.6	0.6	0.6	0.55	0.55	0.6	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	2.6	2.6	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	BTL-R01	BTL-R11	BTL-R21
0.022"	1 kit	20 pcs	BTL-R02	BTL-R12	BTL-R22

≫ MBT System

● Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

● Mandibular


Torque	-17°	-11°	-6°	-6°	-6°	-6°	-6°	-6°	-11°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	3.0	3.0	3.0	2.6	2.6	2.4	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	BTL-M01	BTL-M11	BTL-M21
0.022"	1 kit	20 pcs	BTL-M02	BTL-M12	BTL-M22

Song I Series
Ceramic Brackets

Song I Series is the first type of three bonding slots base aesthetic brackets,
Made of PollyCrystal Line Aesthetics ceramic,use Ceremamic Injection Molding technology,
With the effective performace and resonable price, Song I ceramic brackets come as
an ideal choice for doctors.

Poly-Crystalline Aesthetics
Ceramic, CIM Technology.



Smoothy Polishing, Round Edges,
Precise Slot .Perfectly Radian
Design bring comfortable using.

The best popular
Ceramic series



Three groove base,
bring super good bonding

≫ Roth System

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

● Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	SONG I-R11	SONG I-R21
0.022"	1 kit	20 pcs	SONG I-R12	SONG I-R22

≫ MBT System

● Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	1.1	1.1	1.1	1.4	1.2	1.2	1.4	1.1	1.1	1.1
Width mm	3.4	3.4	4.4	3.8	3.8	3.8	3.4	3.4	3.4	3.4

● Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	'-12°	-17°
Tip	2°	2°	3°	3°	0°	0°	0°	3°	2°	2°
In/Out mm	1.1	1.1	1.1	1.3	1.3	1.3	1.3	1.1	1.1	1.1
Width mm	3.4	3.4	3.4	3.0	3.0	3.0	3.0	3.4	3.4	3.4

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	SONG I-M11	SONG I-M21
0.022"	1 kit	20 pcs	SONG I-M12	SONG I-M22

Song II Series
Ceramic Brackets

Song II series are upgrade of Song I ceramic brackets. Intergrated with all the advantages of Song I, Stronger brackets body and Mesh base design bonding base, Smooth Round surface for enhanced patient comfort, Better translucent.

Excellent translucent Appearance

Diamond Polishing tech, ensure smooth surface



Poly-Crystalline aesthetic Ceramic,CIM tech Made

Mesh base Design, comes better bonding

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	SONG II-R11	SONG II-R21
0.022"	1 kit	20 pcs	SONG II-R12	SONG II-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	1.1	1.1	1.1	1.4	1.2	1.2	1.4	1.1	1.1	1.1
Width mm	3.4	3.4	4.4	3.8	3.8	3.8	3.4	3.4	3.4	3.4

Mandibular


Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	'-12°	-17°
Tip	2°	2°	3°	3°	0°	0°	0°	3°	2°	2°
In/Out mm	1.1	1.1	1.1	1.3	1.3	1.3	1.3	1.1	1.1	1.1
Width mm	3.4	3.4	3.4	3.0	3.0	3.0	3.0	3.4	3.4	3.4

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	SONG II-M11	SONG II-M21
0.022"	1 kit	20 pcs	SONG II-M12	SONG II-M22

Pure Clear Series
Ceramic Brackets

Pure Clear Series are the most perfect Mono-Cystalline Sapphire Brackets in the world, Plasma Silica Coating on slot and full body, bring lower friction and hardness surface.Ultra transparent and stronger body, 2 steps groove bring excellent performance.

2 steps groove,More easy and Accurate for Positioning



Palsma Silica Coated slot, reduce frication

Manufactured from Clear Polish Sapphire, Over three times Stronger than Poly-Crystalline Brackets

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	PCB-R11	PCB-R21
0.022"	1 kit	20 pcs	PCB-R12	PCB-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	1.1	1.1	1.1	1.4	1.2	1.2	1.4	1.1	1.1	1.1
Width mm	3.4	3.4	4.4	3.8	3.8	3.8	3.4	3.4	3.4	3.4

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	'-12°	-17°
Tip	2°	2°	3°	3°	0°	0°	0°	3°	2°	2°
In/Out mm	1.1	1.1	1.1	1.3	1.3	1.3	1.3	1.1	1.1	1.1
Width mm	3.4	3.4	3.4	3.0	3.0	3.0	3.0	3.4	3.4	3.4

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	PCB-M11	PCB-M21
0.022"	1 kit	20 pcs	PCB-M12	PCB-M22

Bright Series
Ceramic Brackets

Bright Series Brackets upgrade from Song series, Enhanced Metal Slot,
Intergrade the low frication of metal brackets and Beauty of Ceramic brackets.
New Mesh base offers supperior bonding,
Bright series brackets is an ideal choice for aesthetic orthodontic.

Metal Wire Slot,Lower Friction

Contoured designed bring
much more comfort



Polly-Crystalline Aesthetic Ceramic made,
Using diamond polishing tech,
Contoured design bring more comfortable,
Smooth surface.

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	BR-R18-01	BR-R18-02
0.022"	1 kit	20 pcs	BR-R22-01	BR-R22-02

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	1.1	1.1	1.1	1.4	1.2	1.2	1.4	1.1	1.1	1.1
Width mm	3.4	3.4	4.4	3.8	3.8	3.8	3.4	3.4	3.4	3.4

Mandibular


Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	'-12°	-17°
Tip	2°	2°	3°	3°	0°	0°	0°	3°	2°	2°
In/Out mm	1.1	1.1	1.1	1.3	1.3	1.3	1.3	1.1	1.1	1.1
Width mm	3.4	3.4	3.4	3.0	3.0	3.0	3.0	3.4	3.4	3.4

Slot Size	Assortments Packs	Quantity	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	BR-M18-01	BR-M18-02
0.022"	1 kit	20 pcs	BR-M22-01	BR-M22-02

Tang Series
Metal Brackets

Tang Series Brackets are Made by MIM technology,
two pieces construction, Newest Welding technolog make body and base strongly combined.
80 thicked mesh pad bring more bonding.
Tang Series brackets the most popular brackets in the markets.





80 Gauge mesh, Strength bonding base

≫ Edgewise System

Maxillary

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.6	3.0	3.0	2.6	2.6	2.6	2.6

Mandibular

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.4	2.4	2.4	2.4	2.6	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	TS-E01	TS-E11	TS-E21
0.022"	1 kit	20 pcs	TS-E02	TS-E12	TS-E22

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	TS-R01	TS-R11	TS-R21
0.022"	1 kit	20 pcs	TS-R02	TS-R12	TS-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8


Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	TS-M01	TS-M11	TS-M21
0.022"	1 kit	20 pcs	TS-M02	TS-M12	TS-M22



Qin Series
Metal Brackets

Qin Series Brackets are made by newest and advanced technology of Metal injection Molding,
One piece construction, Never worry about bonding pad seperated from brackets.
With Micro etched base, Qin Series brackets offers better bonding.

Lower Profile, Accuracy Slot for lower friction,
Hard 17-4 stainless Steel made.
MIM technology made. Sand Blasted base.





≫ Edgewise System

Maxillary

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.6	3.0	3.0	2.6	2.6	2.6	2.6

Mandibular

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.4	2.4	2.4	2.4	2.6	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS-E01	QS-E11	QS-E21
0.022"	1 kit	20 pcs	QS-E02	QS-E12	QS-E22

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS-R01	QS-R11	QS-R21
0.022"	1 kit	20 pcs	QS-R02	QS-R12	QS-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS-M01	QS-M11	QS-M21
0.022"	1 kit	20 pcs	QS-M02	QS-M12	QS-M22



Qin-II Series



Permanent Vertical Scribe Line
For easy and more accurate placement on the long axis

Generous Tie Wings Area
For easy brackets ligating



Intelligent Hook Design
Smooth rounded hooks reduce soft tissues irritation

Compound Contour base
Superior fit and greater contact surface area for improved retetion

Rounded Archwire slot contours
Mesial and distal slot entry points are rounded to prevent archwire notching when rotations are present and during retraction/protraction procedures

Micro-Etched Pylon base Design
Create by MIM tech, One piece construction base, sand blasted base bring superior retention and bond strength





≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS2-R01	QS2-R11	QS2-R21
0.022"	1 kit	20 pcs	QS2-R02	QS2-R12	QS2-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS2-M01	QS2-M11	QS2-M21
0.022"	1 kit	20 pcs	QS2-M02	QS2-M12	QS2-M22

Lingual Series
Metal Brackets

Lingual brackets are our second generation invisible lingual orthodontic treatment.
Lingual system is made with CNC technology and hard stainless steel metal.
Lingual brackets are most effective Lingual brackets system in the market and need professional skill to operate.

Identification System



Patient kits	Item Numbers	
Description	.018'' Slot	.022'' Solt
Upper/Lower 7-7 hook on 4,5,6,7	L1-18-01	L1-22-01

Edge-wise	Torq.	Ang.	018"Slot	022"Slot
Central,Lateral & Cuspid	-55	0	L1-1811	LS-E2211
Lower Anterior & Cuspid	-44	0	L1-1841	LS-E2241
Upper/Lower Bicuspid	-11	0	L1-1814	LS-E2214





Modern Series *
Metal Brackets

Product design features: Modern series brackets are Mesh Base,
two pieces welding brackets.80 mesh pad are flawless welded to the brackets body by a Laser beam.
Modern series are the most porpular products type last year.
Mickey, Flower, Star and Heart available, so that we can enjoy the beauty at the same time of the treatment.

Product design features

Modern series brackets are Mesh Base, two pieces welding brackets.80 mesh pad are flawless welded to the brackets body by a Laser beam. Modern series are the most porpular products type last year.Mickey, Flower, Star and Heart available, so that we can enjoy the beauty at the same time of the treatment.



Identification System



≫ Edgewise System

Maxillary

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.6	3.0	3.0	2.6	2.6	2.6	2.6

Mandibular

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.4	2.4	2.4	2.4	2.6	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	MS-E01	MS-E11	MS-E21
0.022"	1 kit	20 pcs	MS-E02	MS-E12	MS-E22

* Please consult our sales before placing order

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	MS-R01	MS-R11	MS-R21
0.022"	1 kit	20 pcs	MS-R02	MS-R12	MS-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	MS-M01	MS-M11	MS-M21
0.022"	1 kit	20 pcs	MS-M02	MS-M12	MS-M22





Vertical Slot brackets

A vertical slot design for ligating.





≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"*	1 kit	20 pcs	VBR-R01	VBR-R11	VBR-R21
0.022"	1 kit	20 pcs	VBR-R02	VBR-R12	VBR-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"*	1 kit	20 pcs	VBM-M01	VBM-M11	VBM-M21
0.022"	1 kit	20 pcs	VBM-M02	VBM-M12	VBM-M22

* Please consult our sales before placing order

Molar Brackets



Roth System

Slot Size	Assortments Packs	Quantity	With Out Hook	with Hook
0.018"	1 kit	4 pcs	MB-R01	MB-R11
0.022"	1 kit	4 pcs	MB-R02	MB-R12

MBT Molar brackets

Slot Size	Assortments Packs	Quantity	With Out Hook	with Hook
0.018"	1 kit	4 pcs	MB-M01	MB-M11
0.022"	1 kit	4 pcs	MB-M02	MB-M12


Buccal Tubes

Self-Ligating System





≫ FDI System



17	16	15	14	13	12	11		21	22	23	24	25	26	27
7	6	5	4	3	2	1		1	2	3	4	5	6	7
7	6	5	4	3	2	1		1	2	3	4	5	6	7
47	46	45	44	43	42	41		31	32	33	34	35	36	37


Systerm	Teeth	Torque	Offset	In/out	Width	REF	
						Non-Convertible	
						22	18
Roth	16	-14°	10°	0.5mm	4.0mm	AT622-021	AT618-021
	26	-14°	10°	0.5mm	4.0mm	AT622-022	AT618-022
	36	-30°	4°	0.5mm	4.0mm	AT622-023	AT618-023
	46	-30°	4°	0.5mm	4.0mm	AT622-024	AT618-024
Code for kits(4 pcs/kit)						ABT622-020	ABT618-020
MBT	16	-14°	10°	0.5mm	4.0mm	AT622-031	AT618-031
	26	-14°	10°	0.5mm	4.0mm	AT622-032	AT618-032
	36	-20°	0°	0.5mm	4.0mm	AT622-033	AT618-033
	46	-20°	0°	0.5mm	4.0mm	AT622-034	AT618-034
Code for kits(4 pcs/kit)						ABT622-030	ABT618-030

Beijing Series
Bondable Buccal tube



Features:

1. Applying fine material and moulds, Made from precesion casting process line with compact design.
2. Mesial Chamfered entrance for easy guiding of the arch wire.
3. Easy Operate,High bonding strenth, contoured mesh base is in accordence with the molar crownCurved base design, fully fitted to the tooth, Occlusal indent for precise positioning.
4. Slightly brazed slot cap for the convertible tubes.








2ND MOLAR TUBE | 1ST MOLAR TUBE | CONVERTIBLE TUBE | DOUBLE CONVERTIBLE TUBE | TRIPLE CONVERTIBLE TUBE

FDI System



17	16	15	14	13	12	11		21	22	23	24	25	26	27
7	6	5	4	3	2	1		1	2	3	4	5	6	7
7	6	5	4	3	2	1		1	2	3	4	5	6	7
47	46	45	44	43	42	41		31	32	33	34	35	36	37



1st Molar Bondable buccal tube

Slot: 18X25/0.46X0.64mm
22X28/0.56X0.71mm

Systerm	Teeth	Torque	Offset	In/out	Width	REF			
						Non-Convertible		Convertible	
						22	18	22	18
Roth	16	-14°	10°	0.5mm	4.0mm	NT622-021	NT618-021	CT622-021	CT618-021
	26	-14°	10°	0.5mm	4.0mm	NT622-022	NT618-022	CT622-022	CT618-022
	36	-30°	4°	0.5mm	4.0mm	NT622-023	NT618-023	CT622-023	CT618-023
	46	-30°	4°	0.5mm	4.0mm	NT622-024	NT618-024	CT622-024	CT618-024
	Code for kits(4 pcs/kit)					NBT622-020	NBT618-020	CBT622-020	CBT618-020
MBT	16	-14°	10°	0.5mm	4.0mm	NT622-031	NT618-031	CT622-031	CT618-031
	26	-14°	10°	0.5mm	4.0mm	NT622-032	NT618-032	CT622-032	CT618-032
	36	-20°	0°	0.5mm	4.0mm	NT622-033	NT618-033	CT622-033	CT618-033
	46	-20°	0°	0.5mm	4.0mm	NT622-034	NT618-034	CT622-034	CT618-034
	Code for kits(4 pcs/kit)					NBT622-030	NBT618-030	CBT622-030	CBT618-030
Edgewise	16/36	0°	0°	0.6mm	4.0mm	NT622-011	NT618-011	CT622-011	CT618-011
	26/46	0°	0°	0.6mm	4.0mm	NT622-012	NT618-012	CT622-012	CT618-012
	Code for kits(4 pcs/kit)					NBT622-010	NBT618-010	CBT622-010	CBT618-010



2nd Molar Bondable buccal tube

Slot: 18X25/0.46X0.64mm
22X28/0.56X0.71mm

Systerm	Teeth	Torque	Offset	In/out	Width	REF	
						Non-Convertible	
						22	18
Roth	17	-14°	10°	0.5mm	3.2mm	NT722-021	NT718-021
	27	-14°	10°	0.5mm	3.2mm	NT722-022	NT718-022
	37	-30°	4°	0.5mm	3.2mm	NT722-023	NT718-023
	47	-30°	4°	0.5mm	3.2mm	NT722-024	NT718-024
	Code for kits(4 pcs/kit)					NBT722-020	NBT718-020
MBT	17	-14°	10°	0.5mm	3.2mm	NT722-031	NT718-031
	27	-14°	10°	0.5mm	3.2mm	NT722-032	NT718-032
	37	-20°	0°	0.5mm	3.2mm	NT722-033	NT718-033
	47	-20°	0°	0.5mm	3.2mm	NT722-034	NT718-034
	Code for kits(4 pcs/kit)					NBT722-030	NBT718-030
Edgewise	17/37	0°	0°	0.6mm	3.2mm	NT722-011	NT718-011
	27/47	0°	0°	0.6mm	3.2mm	NT722-012	NT718-012
	Code for kits(4 pcs/kit)					NBT722-010	NBT718-010

Bands Features

1. Molar Bands Anatomically conform to the individuan tooth.
2. Lingual Indent helps for a precise fit and reduce occlusal interference.
3. Availalble as proportionally graduated half size for each quadrant.
4. Quadrant and sizes is permanently laser marked to the band.
5. Shaped and contoured anatomicaly by CAD designing, for precise and snap fit.
6. Patened rough inner surface enhace 30% bonding strength.




≫ Pre-Welded Positioning


All Bands are Available Plain or welded with your choice of attachments,
Please specify the following extra process when ordering:

- ◯ 1. Rough inner surface ◯ 2. Pre-welded with tubes
- ◯ 3. Pre-welded with lingual cleats ◯ 4. Pre-welded with Lingual Sheaths

Ma×illary



Occulusal gingiva positioning
Center 0f edgeWiSe slot nearest occlusal is 0.075 in(1.9mm)




Centerline of buccal tube positioned on buccal indent Form occlusal edge of band. Round tube mounted to occlusal

Mandibular




Occlusal gingival postitioning center of edgewise slot nearest occlusal is 0.075 in.(1.9mm) form located edge of band.hooks are located in mesial-gingival coordinate.



Mesial distal positioning centerline of buccal tube positioned 0.040 in.(1.0mm distal from mesial buccal indent.)

» Pre-Welded bands For Variety of Clinical Application



1st Molar Bands	1st Buccal tube	Lingual Cleats Lingual Sheath No hook（BLS-01） Lingual Sheath with hook（BLS-02）



2nd Molar Bands	2nd Molar tube	Lingual cleat BLC-01（Short） BLC-02（Long）



Rough Molar Bands

with weldable buccal tubes individual packs

≫ 1st Molar Single Rectangular(U1L1)/Non-Convertible

4 pcs/PACK

System	Teeth	Torque	Offset	Width	REF	
					22	18
Roth	16	-14°	10°	4.0mm	BN622-511	BN621-511
	26	-14°	10°	4.0mm	BN622-512	BN621-512
	36	-30°	4°	4.0mm	BN622-513	BN621-513
	46	-30°	4°	4.0mm	BN622-514	BN621-514
	Codes for pack (4pcs/pack)				BN622-510	BN621-510
Sliding MBT*	16	-14°	10°	4.0mm	BN632-511	BN631-511
	26	-14°	10°	4.0mm	BN632-512	BN631-512
	36	-10°	0°	4.0mm	BN632-513	BN631-513
	46	-10°	0°	4.0mm	BN632-514	BN631-514
	Codes for pack (4pcs/pack)				BN632-510	BN631-510
Edgewise	16	0°	0°	4.0mm	BN612-511	BN611-511
	26	0°	0°	4.0mm	BN612-512	BN611-512
	36	0°	0°	4.0mm	BN612-513	BN611-513
	46	0°	0°	4.0mm	BN612-514	BN611-514
	Codes for pack (4pcs/pack)				BN612-510	BN611-510

≫ 1st Molar Single Rectangular (U1L1) /Convertible

4 pcs/PACK

System	Teeth	Torque	Offset	Width	REF	
					22	18
Roth	16	-14°	10°	4.0mm	BC622-611	BC621-611
	26	-14°	10°	4.0mm	BC622-612	BC621-612
	36	-30°	4°	4.0mm	BC622-613	BC621-613
	46	-30°	4°	4.0mm	BC622-614	BC621-614
	Codes for pack (4pcs/pack)				BC622-610	BC621-610
Sliding MBT*	16	-14°	10°	4.0mm	BC632-611	BC631-611
	26	-14°	10°	4.0mm	BC632-612	BC631-612
	36	-20°	0°	4.0mm	BC632-613	BC631-613
	46	-20°	0°	4.0mm	BC632-614	BC631-614
	Codes for pack (4pcs/pack)				BC632-610	BC631-610
Edgewise	16	0°	0°	4.0mm	BC612-611	BC611-611
	26	0°	0°	4.0mm	BC612-612	BC611-612
	36	0°	0°	4.0mm	BC612-613	BC611-613
	46	0°	0°	4.0mm	BC612-614	BC611-614
	Codes for pack (4pcs/pack)				BC612-610	BC611-610

≫ 1st Molar Maxillary Double Headgear and Mandibular Single(U2L1)/Non-convertible

System	Teeth	Torque	Offset	Width	REF	
					22	18
Roth	16	-14°	10°	4.0mm	BN622-521	BN621-521
	26	-14°	10°	4.0mm	BN622-522	BN621-522
	36	-25°	4°	4.0mm	BN622-523	BN621-523
	46	25°	4°	4.0mm	BN622-524	BN621-524
	Codes for pack (4pcs/pack)				BN622-520	BN621-520
MBT	16	-14°	10°	4.0mm	BN632-521	BN631-521
	26	-14°	10°	4.0mm	BN632-522	BN631-522
	36	-10°	0°	4.0mm	BN632-523	BN631-523
	46	-10°	0°	4.0mm	BN632-524	BN631-524
	Codes for pack (4pcs/pack)				BN632-520	BN631-520
Edgewise	16	0°	6°	4.0mm	BN612-521	BN611-521
	26	0°	6°	4.0mm	BN612-522	BN611-522
	36	0°	0°	4.0mm	BN612-523	BN611-523
	46	0°	0°	4.0mm	BN612-524	BN611-514
	Codes for pack (4pcs/pack)				BN612-520	BN611-520

≫ 1st Molar Maxillary Double Headgear and Mandibular Single(U2L1) /Convertible

System	Teeth	Torque	Offset	Width	REF	
					22	18
Roth	16	-14°	10°	4.0mm	BC622-621	BC621-621
	26	-14°	10°	4.0mm	BC622-622	BC621-622
	36	-25°	4°	4.0mm	BC622-623	BC621-623
	46	-25°	4°	4.0mm	BC622-624	BC621-624
	Codes for pack (4pcs/pack)				BC622-620	BC621-620
MBT	16	-14°	10°	4.0mm	BC632-621	BC631-621
	26	-14°	10°	4.0mm	BC632-622	BC631-622
	36	-20°	0°	4.0mm	BC632-623	BC631-623
	46	-20°	0°	4.0mm	BC632-624	BC631-624
	Codes for pack (4pcs/pack)				BC632-620	BC631-620
Edgewise	16	0°	6°	4.0mm	BC612-621	BC611-621
	26	0°	6°	4.0mm	BC612-622	BC611-622
	36	0°	0°	4.0mm	BC612-623	BC611-623
	46	0°	0°	4.0mm	BC612-624	BC611-624
	Codes for pack (4pcs/pack)				BC612-620	BC611-620

Bands Conversation Chart


1st Molar Maxillary Triple and Mandibular Double Auxillary(U3L2)/Convertible

System	Teeth	Torque	Offset	Width	REF	
					22	18
Roth	16	-14°	10°	4.0mm	BC622-631	BC621-631
	26	-14°	10°	4.0mm	BC622-632	BC621-632
	36	-25°	4°	4.0mm	BC622-643	BC621-643
	46	-25°	4°	4.0mm	BC622-644	BC621-644
	Codes for pack (4pcs/pack)				BC622-640	BC621-640
MBT	16	-14°	10°	4.0mm	BC632-631	BC631-631
	26	-14°	10°	4.0mm	BC632-632	BC631-632
	36	-20°	0°	4.0mm	BC632-643	BC631-643
	46	-20°	0°	4.0mm	BC632-644	BC631-644
	Codes for pack (4pcs/pack)				BC632-640	BC631-640
Edgewise	16	0°	6°	4.0mm	BC612-631	BC611-631
	26	0°	6°	4.0mm	BC612-632	BC611-632
	36	0°	0°	4.0mm	BC612-643	BC611-643
	46	0°	0°	4.0mm	BC612-644	BC611-644
	Codes for pack (4pcs/pack)				BC612-640	BC611-640


Bands Packing: (4 pcs/pck, 10 pcs/bag, 576 pcs/case)



Bands Bulk Packing



Blue Case,Two drawers,UR size bands in Upper Left grid UL size bands in Upper right girds.LR and LL size bands put in Lower drawer grids.
Suggest holding quantity:6 pcs each grid,576 pcs total.
Size from#31,#31.5,#32----------#41,#41.5,#42,#42.5,
Half size included.
Ref:PK03-01



Plastic Bands Box
Clear case ,4 levels for UR,UL,LR,LL
Suggest golding quantity:10 pcs each grid
Size from 30.5#~~42.5#,half szie included
Ref:PK03-02

2nd Molar Bands



Ref: BN701+ size (in next Page)

Fixed Space Retainer



Ref: CDB601+ size (in next page)

www.sinoortho.com

Bands Conversation Chart

≫ **1st molar bands** Conversion chart

4 pcs/pack

Local Market mark	GAC Mark Rough inner surface	3M mark Rough inner surface	Peri-meter mm	2nd Molar Bands/ Fixed Space Retainer Conversion Char
	3	28	28	28
	4	28+	28.5	28.5
	5	29	29	29
	6	29+	29.5	29.5
16	7	30	30	30
17	8	30+	30.5	30.5
18	9	31	31	31
19	10	31+	31.5	31.5
20	11	32	32	32
21	12	32+	32.5	32.5
22	13	33	33	33
23	14	33+	33.5	33.5
24	15	34	34	34
25	16	34+	34.5	34.5
26	17	35	35	35
27	18	35+	35.5	35.5
28	19	36	36	36
29	20	36+	36.5	36.5
30	21	37	37	37
31	22	37+	37.5	37.5
32	23	38	38	38
33	24	38+	38.5	38.5
34	25	39	39	39
35	26	39+	39.5	39.5
36	27	40	40	40
37	28	40+	40.5	
38	29	41	41	
39	30	41+	41.5	
		42	42	
		42+	42.5	
		43	43	
		43+	43.5	
		44	44	
		44+	44.5	

Bicuspid Bands

Bands for Premolar 4 and 5. Plain Bicuspid bands and Prewelded bands bands Available

Bicuspid Bands Size Sheet

UR45, UL 45			LR45, LL45	
Size	Perimeter (mm)		Size	Perimeter (mm)
1	20.7			
2	21.0			
3	21.3			
4	21.6			
5	21.9			
6	22.2		6	20.3
7	22.5		7	20.7
8	22.8		8	21.1
9	23.1		9	21.5
10	23.4		10	21.9
11	23.7		11	22.3
12	24.0		12	22.7
13	24.3		13	23.1
14	24.6		14	23.5
15	24.9		15	23.9
16	25.2		16	24.3
17	25.5		17	24.7
18	25.8		18	25.1
19	26.1		19	25.5
20	26.4		20	25.9
21	26.7		21	26.3
22	27.0		22	26.7
23	27.3		23	27.1
24	27.6		24	27.5
25	27.9		25	27.9
26	28.2		26	28.3
27	28.5		27	28.7
28	28.8		28	29.1
29	29.1		29	29.5
30	29.4		30	29.9
31	29.7		31	30.3
32	30.0		32	30.7

Prewelded with brackets

4 pcs/pack

System	Teeth	Ref 0.022	Ref 0.018
Roth	15/14	BQ02-201	BQ02-101
	25/24	BQ02-202	BQ02-102
	35/34	BQ02-203	BQ02-103
	45/44	BQ02-204	BQ02-104
Sliding MBT*	15/14	BQ03-201	BQ03-101
	25/24	BQ03-202	BQ03-102
	35/34	BQ03-203	BQ03-103
	45/44	BQ03-204	BQ03-104
Edgewise	15/14	BQ04-201	BQ04-101
	25/24	BQ04-202	BQ04-102
	35/34	BQ04-203	BQ04-103
	45/44	BQ04-204	BQ04-104



Plain Bicuspid band

4 pcs/pack



Teeth	Ref
15/14	BQ01-01
25/24	BQ01-02
35/34	BQ01-03
45/44	BQ01-04


Stainless Steel Primary Molar Crowns				1 pcs/pack
Position	Ref Code			
D2	PMC-UR-11	PMC-UL-11	PMC-LR-11	PMC-LL-11
D3	PMC-UR-12	PMC-UL-12	PMC-LR-12	PMC-LL-12
D4	PMC-UR-13	PMC-UL-13	PMC-LR-13	PMC-LL-13
D5	PMC-UR-14	PMC-UL-14	PMC-LR-14	PMC-LL-14
D6	PMC-UR-15	PMC-UL-15	PMC-LR-15	PMC-LL-15
D7	PMC-UR-16	PMC-UL-16	PMC-LR-16	PMC-LL-16
E2	PMC-UR-21	PMC-UL-21	PMC-LR-21	PMC-LL-21
E3	PMC-UR-22	PMC-UL-22	PMC-LR-22	PMC-LL-22
E4	PMC-UR-23	PMC-UL-23	PMC-LR-23	PMC-LL-23
E5	PMC-UR-24	PMC-UL-24	PMC-LR-24	PMC-LL-24
E6	PMC-UR-25	PMC-UL-25	PMC-LR-25	PMC-LL-25
E7	PMC-UR-26	PMC-UL-26	PMC-LR-26	PMC-LL-26

D	7	6	5	4	3	2	Upper	2	3	4	5	6	7
E	7	6	5	4	3	2		2	3	4	5	6	7
D	7	6	5	4	3	2	Lower	2	3	4	5	6	7
E	7	6	5	4	3	2		2	3	4	5	6	7



Super-Elastic NiTi Arch Wires

Archwires




Stress-Strain curve of NITI,NITI-TA, TMA(β-Ti),Stainless Steel wires.

NITI/TMA/SS Archwires

NITI: Superelastic and thermal activited, generate light and continual force


TMA: β-Ti， nickle free,high clasticity and good bendability with pliers

Stainless steel: high tensile stenght,allows claps,even difficult ones to be easily shaped, without breakage



(10 pcs/pk or 1 pcs/pk)

Size: Round: 12,14,16,18,20 *0.001"
Rectangular: 1425,1616,1622,1625,1722,1725,1818,1822,1825,1925,2020, 2125 *0.001"
ArchForm : Square, Ovoid, Tapered, Natural,Damon, Europ, Reverse Curve.
Order Damon form, please add Damon+ Item number
Order European form, please add European+ Item number



Lower Upper

Super-Elastic NiTi Arch Wires

(10 pcs/pack)

Cross Section	Square		Natural		Ovoid	
Maxillary	Upper	Lower	Upper	Lower	Upper	Lower
.012''	SE-S12U	SE-S12L	SE-N12U	SE-N12L	SE-O12U	SE-O12L
.014''	SE-S14U	SE-S14L	SE-N14U	SE-N14L	SE-O14U	SE-O14L
.016''	SE-S16U	SE-S16L	SE-N16U	SE-N16L	SE-O16U	SE-O16L
.018''	SE-S18U	SE-S18L	SE-N18U	SE-N18L	SE-O18U	SE-O18L
.020''	SE-S20U	SE-S20L	SE-N20U	SE-N20L	SE-O20U	SE-O20L
Rectangle	Upper	Lower	Upper	Lower	Upper	Lower
0.014''×0.025''	SE-S1425U	SE-S1425L	SE-N1425U	SE-N1425L	SE-O1425U	SE-O1425L
0.016''×0.016''	SE-S1616U	SE-S1616L	SE-N1616U	SE-N1616L	SE-O1616U	SE-O1616L
0.016''×0.022''	SE-S1622U	SE-S1622L	SE-N1622U	SE-N1622L	SE-O1622U	SE-O1622L
0.016''×0.025''	SE-S1625U	SE-S1625L	SE-N1625U	SE-N1625L	SE-O1625U	SE-O1625L
0.017''×0.022''	SE-S1722U	SE-S1722L	SE-N1722U	SE-N1722L	SE-O1722U	SE-O1722L
0.017''×0.025''	SE-S1725U	SE-S1725L	SE-N1725U	SE-N1725L	SE-O1725U	SE-O1725L
0.018''×0.018''	SE-S1818U	SE-S1818L	SE-N1818U	SE-N1818L	SE-O1818U	SE-O1818L
0.018''×0.022''	SE-S1822U	SE-S1822L	SE-N1822U	SE-N1822L	SE-O1822U	SE-O1822L
0.018''×0.025''	SE-S1825U	SE-S1825L	SE-N1825U	SE-N1825L	SE-O1825U	SE-O1825L
0.019''×0.025''	SE-S1925U	SE-S1925L	SE-N1925U	SE-N1925L	SE-O1925U	SE-O1925L
0.020''×0.020''	SE-S2020U	SE-S2020L	SE-N2020U	SE-N2020L	SE-O2020U	SE-O2020L
0.021''×0.025''	SE-S2125U	SE-S2125L	SE-N2125U	SE-N2125L	SE-O2125U	SE-O2125L



Thermal Active NiTi Arch Wires

(10 pcs/pack)



Cross Section	Square		Natural		Ovoid		Europe II	
Maxillary	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower
.012''	TA-S12U	TA-S12L	TA-N12U	TA-N12L	TA-O12U	TA-O12L	TA-E12U	TA-E12L
.014''	TA-S14U	TA-S14L	TA-N14U	TA-N14L	TA-O14U	TA-O14L	TA-E14U	TA-E14L
.016''	TA-S16U	TA-S16L	TA-N16U	TA-N16L	TA-O16U	TA-O16L	TA-E16U	TA-E16L
.018''	TA-S18U	TA-S18L	TA-N18U	TA-N18L	TA-O18U	TA-O18L	TA-E18U	TA-E18L
.020''	TA-S20U	TA-S20L	TA-N20U	TA-N20L	TA-O20U	TA-O20L	TA-E20U	TA-E20L
Rectangle	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower
0.014''×0.025''	TA-S1425U	TA-S1425L	TA-N1425U	TA-N1425L	TA-O1425U	TA-O1425L	TA-E1425U	TA-E1425L
0.016''×0.016''	TA-S1616U	TA-S1616L	TA-N1616U	TA-N1616L	TA-O1616U	TA-O1616L	TA-E1616U	TA-E1616L
0.016''×0.022''	TA-S1622U	TA-S1622L	TA-N1622U	TA-N1622L	TA-O1622U	TA-O1622L	TA-E1622U	TA-E1622L
0.016''×0.025''	TA-S1625U	TA-S1625L	TA-N1625U	TA-N1625L	TA-O1625U	TA-O1625L	TA-E1625U	TA-E1625L
0.017''×0.022''	TA-S1722U	TA-S1722L	TA-N1722U	TA-N1722L	TA-O1722U	TA-O1722L	TA-E1722U	TA-E1722L
0.017''×0.025''	TA-S1725U	TA-S1725L	TA-N1725U	TA-N1725L	TA-O1725U	TA-O1725L	TA-E1725U	TA-E1725L
0.018''×0.018''	TA-S1818U	TA-S1818L	TA-N1818U	TA-N1818L	TA-O1818U	TA-O1818L	TA-E1818U	TA-E1818L
0.018''×0.022''	TA-S1822U	TA-S1822L	TA-N1822U	TA-N1822L	TA-O1822U	TA-O1822L	TA-E1822U	TA-E1822L
0.018''×0.025''	TA-S1825U	TA-S1825L	TA-N1825U	TA-N1825L	TA-O1825U	TA-O1825L	TA-E1825U	TA-E1825L
0.019''×0.025''	TA-S1925U	TA-S1925L	TA-N1925U	TA-N1925L	TA-O1925U	TA-O1925L	TA-E1925U	TA-E1925L
0.020''×0.020''	TA-S2020U	TA-S2020L	TA-N2020U	TA-N2020L	TA-O2020U	TA-O2020L	TA-E2020U	TA-E2020L
0.021''×0.025''	TA-S2125U	TA-S2125L	TA-N2125U	TA-N2125L	TA-O2125U	TA-O2125L	TA-E2125U	TA-E2125L



Stainless Steel Arch Wires

(10 pcs/pack)

Cross Section	Square		Natural		Ovoid	
Maxillary	Upper	Lower	Upper	Lower	Upper	Lower
.012''	SS-S12U	SS-S12L	SS-N12U	SS-N12L	SS-O12U	SS-O12L
.014''	SS-S14U	SS-S14L	SS-N14U	SS-N14L	SS-O14U	SS-O14L
.016''	SS-S16U	SS-S16L	SS-N16U	SS-N16L	SS-O16U	SS-O16L
.018''	SS-S18U	SS-S18L	SS-N18U	SS-N18L	SS-O18U	SS-O18L
.020''	SS-S20U	SS-S20L	SS-N20U	SS-N20L	SS-O20U	SS-O20L
Rectangle	Upper	Lower	Upper	Lower	Upper	Lower
0.014''×0.025''	SS-S1425U	SS-S1425L	SS-N1425U	SS-N1425L	SS-O1425U	SS-O1425L
0.016''×0.016''	SS-S1616U	SS-S1616L	SS-N1616U	SS-N1616L	SS-O1616U	SS-O1616L
0.016''×0.022''	SS-S1622U	SS-S1622L	SS-N1622U	SS-N1622L	SS-O1622U	SS-O1622L
0.016''×0.025''	SS-S1625U	SS-S1625L	SS-N1625U	SS-N1625L	SS-O1625U	SS-O1625L
0.017''×0.022''	SS-S1722U	SS-S1722L	SS-N1722U	SS-N1722L	SS-O1722U	SS-O1722L
0.017''×0.025''	SS-S1725U	SS-S1725L	SS-N1725U	SS-N1725L	SS-O1725U	SS-O1725L
0.018''×0.018''	SS-S1818U	SS-S1818L	SS-N1818U	SS-N1818L	SS-O1818U	SS-O1818L
0.018''×0.022''	SS-S1822U	SS-S1822L	SS-N1822U	SS-N1822L	SS-O1822U	SS-O1822L
0.018''×0.025''	SS-S1825U	SS-S1825L	SS-N1825U	SS-N1825L	SS-O1825U	SS-O1825L
0.019''×0.025''	SS-S1925U	SS-S1925L	SS-N1925U	SS-N1925L	SS-O1925U	SS-O1925L
0.020''×0.020''	SS-S2020U	SS-S2020L	SS-N2020U	SS-N2020L	SS-O2020U	SS-O2020L
0.021''×0.025''	SS-S2125U	SS-S2125L	SS-N2125U	SS-N2125L	SS-O2125U	SS-O2125L

Reverse Curve NITI Arch wires
(2 Pcs/Pack)

Round	Upper	Lower
.012''	RS12U	RS12L
.014''	RS14U	RS14L
.016''	RS16U	RS16L
.018''	RS18U	RS18L
.020''	RS20U	RS20L
Rectangular	**Upper**	**Lower**
.016''×.016''	RS1616U	RS1616L
.016''×.022''	RS1622U	RS1622L
.016''×.025''	RS1625U	RS1625L
.017''×.022''	RS1722U	RS1722L
.018''×.018''	RS1818U	RS1818L
.017''×.025''	RS1725U	RS1725L
.018''×.022''	RS1822U	RS1822L
.018''×.025''	RS1825U	RS1825L
.019''×.025''	RS1925U	RS1925L
.020''×.020''	RS2020U	RS2020L
.021''×.025''	RS2125U	RS2125L

Straight Leg Reverse Curve Wires
(2 Pcs/Pack)

Round	Upper	Lower
.012''	RSS12U	RSS12L
.014''	RSS14U	RSS14L
.016''	RSS16U	RSS16L
.018''	RSS18U	RSS18L
.020''	RSS20U	RSS20L
Rectangular	**Upper**	**Lower**
.016''×.016''	RSS1616U	RSS1616L
.016''×.022''	RSS1622U	RSS1622L
.016''×.025''	RSS1625U	RSS1625L
.017''×.022''	RSS1722U	RSS1722L
.018''×.018''	RSS1818U	RSS1818L
.017''×.025''	RSS1725U	RSS1725L
.018''×.022''	RSS1822U	RSS1822L
.018''×.025''	RSS1825U	RSS1825L
.019''×.025''	RSS1925U	RSS1925L
.020''×.020''	RSS2020U	RSS2020L
.021''×.025''	RSS2125U	RSS2125L

NiTi Spring
(10 Pcs/Pack)

Item	Length (mm)	Wire Diameter		
		0.010"/ Light Force	0.012"/Medium Force	0.014"/Heavy force
Closed	4	CS1004	CS1204	CS1404
	6	CS1006	CS1206	CS1406
	9	CS1009	CS1209	CS1409
	12	CS1012	CS1212	CS1412
Open	180	OS1018	OS1218	OS1418
	910	OS10910	OS12910	OS14910
Distal lizing	180	DS1018	DS1218	DS1418
	910	DS10910	DS12910	DS14910



NiTi Spring



Eyelet size Φ3mm Φ2.5mm Φ1.8mm

15- FT Super Elastic NiTi Straight wires

Round	Length	Ref
0.012"	5m	W5-12
0.014"	5m	W5-14
0.016"	5m	W5-16
0.018"	5m	W5-18
0.020"	5m	W5-20



Ni-Ti and Stainless Steel Straight wires
(10 pcs/pack, 14"Length)


Size:
Round: 0.012"/0.014"/0.016"/0.018"/0.020"
Rectangular: 0.016"x0.016"/0.016"x0.022"/0.017"x0.022"
/0.017"x0.025"/0.018"x0.022"/0.018"x0.025"/0.019"x0.025"
/0.021"x0.025"



Special Wires

Braided Wires,Colorful wires and Lingual wires

8 Multi-Strand Stainless Steel Wire		1pcs/pack
Retangular	Upper	Lower
0.016''x0.016''	MSAU1616	MSAL1616
0.016''x0.022''	MSAU1622	MSAL1622
0.017''x0.025''	MSAU1725	MSAL1725
0.018''x0.025''	MSAU1825	MSAL1825
0.019''x0.025''	MSAU1925	MSAL1925
0.021''x0.025''	MSAU2125	MSAL2125



Color Coated Wire	1pcs/pack
Green	Order item: Green+ Item number
Tooth Color	Order item: Tooth Color+ Item number
Orange	Order item: Orange+ Item number
Blue	Order item: Blue+ Item number
Pink	Order item: Pink+ Item number
Purple	Order item: Purple+ Item number
Yellow	Order item: Yellow+ Item number
Black	Order item: Black+ Item number
Red	Order item: Red+ Item number





Keyhole Arch Wire

Stainless Steel/TMA Keyhole Arch Wire			1pcs/pack
KA1622-22	KA1725-22	KA1825-22	KA1925-22
KA1622-24	KA1725-24	KA1825-24	KA1925-24
KA1622-26	KA1725-26	KA1825-26	KA1925-26
KA1622-28	KA1725-28	KA1825-28	KA1925-28
KA1622-30	KA1725-30	KA1825-30	KA1925-30
KA1622-32	KA1725-32	KA1825-32	KA1925-32
KA1622-34	KA1725-34	KA1825-34	KA1925-34
KA1622-36	KA1725-36	KA1825-36	KA1925-36
KA1622-38	KA1725-38	KA1825-38	KA1925-38
KA1622-40	KA1725-40	KA1825-40	KA1925-40



TMA wire




Cu-Niti Wire



Twist Wires



Dimple wires



Lingual Wires

	Archwire Container (Round)	19cmx11cmx9cm	AWB-01	Weight: 650G
	Archwire Container (Rectangular)	19cmx11cmx9cm	AWB-02	Weight: 650G

Ligature Ties

Color	Normal	V–Ties	Kitty Ties	Mickey Ties	Flower Ties
Magenta	EL–N01	EL–V01	EL–K01	EL–M01	EL–F01
Deep Red	EL–N02	EL–V02	EL–K02	EL–M02	EL–F02
Red	EL–N03	EL–V03	EL–K03	EL–M03	EL–F03
Autrmn Orange	EL–N04	EL–V04	EL–K04	EL–M04	EL–F04
Orange	EL–N05	EL–V05	EL–K05	EL–M05	EL–F05
Siker-Grey	EL–N06	EL–V06	EL–K06	EL–M06	EL–F06
Pink	EL–N07	EL–V07	EL–K07	EL–M07	EL–F07
Deep Pink	EL–N08	EL–V08	EL–K08	EL–M08	EL–F08
Baby Pink	EL–N09	EL–V09	EL–K09	EL–M09	EL–F09
Light purlpe	EL–N10	EL–V10	EL–K10	EL–M10	EL–F10
Purple	EL–N11	EL–V11	EL–K11	EL–M11	EL–F11
Golden	EL–N12	EL–V12	EL–K12	EL–M12	EL–F12
Grass Greer	EL–N14	EL–V14	EL–K14	EL–M14	EL–F14
Greon	EL–N15	EL–V15	EL–K15	EL–M15	EL–F15
Grape	EL–N16	EL–V16	EL–K16	EL–M16	EL–F16
Baby Blue	EL–N17	EL–V17	EL–K17	EL–M17	EL–F17
Crystal Blue	EL–N18	EL–V18	EL–K18	EL–M18	EL–F18
Black	EL–N19	EL–V19	EL–K19	EL–M19	EL–F19
Deep Blue	EL–N20	EL–V20	EL–K20	EL–M20	EL–F20
Blue	EL–N21	EL–V21	EL–K21	EL–M21	EL–F21
Gem Blue	EL–N22	EL–V22	EL–K22	EL–M22	EL–F22
Deep Purple	EL–N23	EL–V23	EL–K23	EL–M23	EL–F23
Crystal Purplo	EL–N24	EL–V24	EL–K24	EL–M24	EL–F24
White	EL–N25	EL–V25	EL–K25	EL–M25	EL–F25
Yellow	EL–N26	EL–V26	EL–K26	EL–M26	EL–F26
Clear	EL–N27	EL–V27	EL–K27	EL–M27	EL–F27
Lake Blue	EL–N28	EL–V28	EL–K28	EL–M28	EL–F28
Lvory	EL–N29	EL–V29	EL–K29	EL–M29	EL–F29
Sky Bue	EL–N30	EL–V30	EL–K30	EL–M30	EL–F30
Desert Blue	EL–N31	EL–V31	EL–K31	EL–M31	EL–F31
Cyan	EL–N32	EL–V32	EL–K32	EL–M32	EL–F32
Crystal Yellow	EL–N33	EL–V33	EL–K33	EL–M33	EL–F33
Light Purple	EL–N34	EL–V34	EL–K34	EL–M34	EL–F34
Dark Green	EL–N35	EL–V35	EL–K35	EL–M35	EL–F35
Neon Green	EL–N36	EL–V36	EL–K36	EL–M36	EL–F36
Neon Russetish	EL–N37	EL–V37	EL–K37	EL–M37	EL–F37
Neon Blue	EL–N38	EL–V38	EL–K38	EL–M38	EL–F38
Apple Green	EL–N39	EL–V39	EL–K39	EL–M39	EL–F39
Pearl	EL–N40	EL–V40	EL–K40	EL–M40	EL–F40
Crystal Lake Bluo	EL–N41	EL–V41	EL–K41	EL–M41	EL–F41
Crystal Pink	EL–N42	EL–V42	EL–K42	EL–M42	EL–F42
Eggplant	EL–N43	EL–V43	EL–K43	EL–M43	EL–F43
Crystal Green	EL–N44	EL–V44	EL–K44	EL–M44	EL–F44
Grape Purple	EL–N45	EL–V45	EL–K45	EL–M45	EL–F45
Cadet Blue	EL–N46	EL–V46	EL–K46	EL–M46	EL–F46
Navy	EL–N47	EL–V47	EL–K47	EL–M47	EL–F47
Turguoise	EL–N48	EL–V48	EL–K48	EL–M48	EL–F48
Pearl Purple	EL–N49	EL–V49	EL–K49	EL–M49	EL–F49
Assorted Color	EL–NA	EL–VA	EL–KA	EL–MA	EL–FA

*Find Color guide on Page 68



Assorted Ligature ties
Packing: 26*40=1040 pcs/pk



Normal
Packing:26*40=1040pcs/pk



V-Ties
Packing:10X100=1000pcs





Mickey Ties
Packing:40*25=1000pcs/pk



Flower Ties
Packing:40*25=1000pcs/pk




Kitty Ties
Packing:40*25=1000pcs/pk

Power Chain

Color	Long	Short	Closed
Magenta	PC-L01	PC-S01	PC-C01
Deep Red	PC-L02	PC-S02	PC-C02
Red	PC-L03	PC-S03	PC-C03
Autrmn Orange	PC-L04	PC-S04	PC-C04
Orange	PC-L05	PC-S05	PC-C05
Silver-Grey	PC-L06	PC-S06	PC-C06
Pink	PC-L07	PC-S07	PC-C07
Deep Pink	PC-L08	PC-S08	PC-C08
Baby Pink	PC-L09	PC-S09	PC-C09
Light purlpe	PC-L10	PC-S10	PC-C10
Purple	PC-L11	PC-S11	PC-C11
Golden	PC-L12	PC-S12	PC-C12
Grass Green	PC-L14	PC-S14	PC-C14
Green	PC-L15	PC-S15	PC-C15
Grape	PC-L16	PC-S16	PC-C16
Baby Blue	PC-L17	PC-S17	PC-C17
Crystal Blue	PC-L18	PC-S18	PC-C18
Black	PC-L19	PC-S19	PC-C19
Deep Blue	PC-L20	PC-S20	PC-C20
Blue	PC-L21	PC-S21	PC-C21
Gem Blue	PC-L22	PC-S22	PC-C22
Deep Purple	PC-L23	PC-S23	PC-C23
Crystal Purple	PC-L24	PC-S24	PC-C24
White	PC-L25	PC-S25	PC-C25
Yellow	PC-L26	PC-S26	PC-C26
Clear	PC-L27	PC-S27	PC-C27
Lake Blue	PC-L28	PC-S28	PC-C28
Lvory	PC-L29	PC-S29	PC-C29
Sky Blue	PC-L30	PC-S30	PC-C30
Desert Blue	PC-L31	PC-S31	PC-C31
Cyan	PC-L32	PC-S32	PC-C32
Crysta Yellow	PC-L33	PC-S33	PC-C33
Light Purple	PC-L34	PC-S34	PC-C34
Green Pearl	PC-L35	PC-S35	PC-C35
Cyan Pearl	PC-L38	PC-S38	PC-C38
White pearl	PC-L40	PC-S40	PC-C40
Crystal Pink	PC-L42	PC-S42	PC-C42
Crystal Green	PC-L44	PC-S44	PC-C44
Cadet Blue	PC-L46	PC-S46	PC-C46
Navy	PC-L47	PC-S47	PC-C47
Turguoise	PC-L48	PC-S48	PC-C48

*Find Color guide on Page 68







Long



Short



Closed




Power Chains Holder
Ref: PK04-01

2 Toned Power Chain


Color	Long	Short	Closed
Deep Pink+Gem Blue	MPC-L01	MPC-S01	MPC-C01
Crystal Pink+Navy	MPC-L02	MPC-S02	MPC-C02
Pink+Baby Blue	MPC-L03	MPC-S03	MPC-C03
Deep Pink+Sky Blue	MPC-L04	MPC-S04	MPC-C04
Red+Grass Green	MPC-L05	MPC-S05	MPC-C05
Baby Pink+Grass Green	MPC-L06	MPC-S06	MPC-C06
Lake Blue+Grass Green	MPC-L07	MPC-S07	MPC-C07
Sky Blue+Grass Green	MPC-L08	MPC-S08	MPC-C08
Baby Blue+Grass Green	MPC-L09	MPC-S09	MPC-C09
Purple+Grass Green	MPC-L10	MPC-S10	MPC-C10
Orange+Grass Green	MPC-L11	MPC-S11	MPC-C11
Pink+Yellow	MPC-L12	MPC-S12	MPC-C12
Purple+Yellow	MPC-L14	MPC-S14	MPC-C14
Green+Yellow	MPC-L15	MPC-S15	MPC-C15
Turguoise+Yellow	MPC-L16	MPC-S16	MPC-C16
Gem Blue+Yellow	MPC-L17	MPC-S17	MPC-C17
Grape+Blue	MPC-L18	MPC-S18	MPC-C18
Grape+Black	MPC-L19	MPC-S19	MPC-C19
White+Black	MPC-L20	MPC-S20	MPC-C20
Blue+Baby Pink	MPC-L21	MPC-S21	MPC-C21
Baby Pink+Lake Blue	MPC-L22	MPC-S22	MPC-C22
Autrmn Orange+Gem Blue	MPC-L23	MPC-S23	MPC-C23
Silver-Grey+Lake Blue	MPC-L24	MPC-S24	MPC-C24



Separators



Ref Code	Packing	
ES-S01	70*15=1050pcs/pk	S-Molded Separators



Ref Code	Packing	
ES-02	1000 pcs/pk	Radiopaque Separators Φ=4.5mm Φ=1.5mm δ=1mm Elongation at Break>300%

Color	Ref Code	Packing	
Clear	PTC-020 PTC-025 PTC-030	15FT/ROLL	Elastic Power Thread Φ=0.03"
Grey	PTG-025		





Ref Code	Packing	
AST-01 (Clear) AST-02 (Blue) AST-03 (Grey) AST-04 (Green) AST-05 (Red)	15FT/ROLL	Archwire Sleeve protective Tubing ϕ=0.03"






Ref Code	Packing	
RWC-01 (Clear) RWG-01 (Grey)	40 pcs/pk (10 pcs/stick)	Rotation Wedges

Latex Elastics.

* Manufacturing from the highest quality surgical grade latex.
* Force Level guaranteed consistent every time.
* Each carton contains 50 patient packs-100 elastics per pack







Type		1/8''(3.2mm)	3/16''(4.6mm)	1/4''(6.4mm)	5/16''(7.9mm)	3/8''(9.5mm)
Light	2.5OZ/71g	LOE-L01	LOE-L02	LOE-L03	LOE-L04	LOE-L05
Medium1	3.5OZ/99g	LOE-M101	LOE-M102	LOE-M103	LOE-M104	LOE-M105
Medium2	4.5OZ/99g	LOE-M201	LOE-M202	LOE-M203	LOE-M204	LOE-M205
Heavy	6.5OZ/184g	LOE-H01	LOE-H02	LOE-H03	LOE-H04	LOE-H05

8 OZ, 8.5 OZ, 16 OZ, etc. can be customized.

Non-Latex Elastics

Non-Latex Elastics are ideal for avoiding patient sensitivity to latex. Manufactured of unique polymer which eliminates the protein and other potential allergy reaching compounds associated with latex. Each carton contains 50 patient packs-100 elastics per pack.





Type		1/8''(3.2mm)	3/16''(4.6mm)	1/4''(6.4mm)	5/16''(7.9mm)	3/8''(9.5mm)
Light	2.5OZ/71g	OE-L01	OE-L02	OE-L03	OE-L04	OE-L05
Medium1	3.5OZ/99g	OE-M101	OE-M102	OE-M103	OE-M104	OE-M105
Medium2	4.5OZ/99g	OE-M201	OE-M202	OE-M203	OE-M204	OE-M205
Heavy	6.5OZ/184g	OE-H01	OE-H02	OE-H03	OE-H04	OE-H05

8 OZ, 8.5 OZ, 16 OZ, etc. can be customized.

Colorful Latex Elastics





Type		1/8''(3.2mm)	3/16''(4.6mm)	1/4''(6.4mm)	5/16''(7.9mm)	3/8''(9.5mm)
Light	2.5OZ/71g	COE-L01	COE-L02	COE-L03	COE-L04	COE-L05
Medium1	3.5OZ/99g	COE-M101	COE-M102	COE-M103	COE-M104	COE-M105
Medium2	4.5OZ/99g	COE-M201	COE-M202	COE-M203	COE-M204	COE-M205
Heavy	6.5OZ/184g	COE-H01	COE-H02	COE-H03	COE-H04	COE-H05

8 OZ, 8.5 OZ, 16 OZ, etc. can be customized.



Type		1/8''(3.2mm)	3/16''(4.6mm)	1/4''(6.4mm)	5/16''(7.9mm)	3/8''(9.5mm)
Light	2.5OZ/71g	2COE-L01	2COE-L02	2COE-L03	2COE-L04	2COE-L05
Medium1	3.5OZ/99g	2COE-M101	2COE-M102	2COE-M103	2COE-M104	2COE-M105
Medium2	4.5OZ/99g	2COE-M201	2COE-M202	2COE-M203	2COE-M204	2COE-M205
Heavy	6.5OZ/184g	2COE-H01	2COE-H02	2COE-H03	2COE-H04	2COE-H05

Maxillary Pull Systerm



Large	**F511-01L**	1pc/pk
Small	**F511-01S**	1pc/pk

Face Mask/Adjustable

Mesial movement of laterals in upper and lower jaw.Movement of groups of teeth in the arch Protraction of anterior segments. Adjustable



F511-02B	(Blue)	1pc/pk
F511-02R	(Red)	1pc/pk
F511-02Y	(Yellow)	1pc/pk
F511-02P	(Pink)	1pc/pk

Adaptable Class III Mask

With forehead rest and chin cap, Provide heavy force for Class III cases.
Available color: Blue, Red, Yellow,Pink



F522-01 1pc/pk

Safety Neck Pad



F512-01 1pc/pk

High-pull System

For mounting elastics and face bow, or J hooks



Large	**F512-01 L**	1pc/pk
Medium	**F512-02 M**	1pc/pk
Small	**F512-03 S**	1pc/pk

Combination System

Universal
Adjustable
With elastics and chin cap



Ref: AFB-01 1 pc/pk

Face Bow

Mandibular Pull Systerm



F512-04 1set/pk

Mandibular Pull System

With elastics and chin cap




F512-05 1set/pk

Horizontal Pull System


For mounting elastics and face bows, or J hooks

Expansion Screws



Ref: AEP01-01	1 pc/pk

Expansion Screw-I




Ref	Size	Packing
AEP02-01	9	1pc/pk
AEP02-02	11	1pc/pk
AEP02-03	13	1pc/pk

Expansion Screw-II



Ref: AEP03-01	1 pc/pk


Expansion Screw -III




Ref	Size	Packing
AEP04-01	7#	1pc/pk
AEP04-02	8#	1pc/pk
AEP04-03	9#	1pc/pk
AEP04-04	11#	1pc/pk
AEP04-05	13#	1pc/pk

Expansion Screw-IV


Lingual Retainers



Mandibular 3-3	38	40	42	45	47
Ref	ALR-38	ALR-40	ALR-42	ALR-45	ALR-47
Mandibular 3-3	29	31	33	35	37
Ref	ALR-29	ALR-31	ALR-33	ALR-35	ALR-37



Universal	W=2.0MM	W=1.2mm
Ref	ALR-6020	ALR-6012



Size	Ref	Pack
0.010"x0.028" 150mm	BRW-01	10pcs/pk
0.010"x0.032" 150mm	BRW-02	10pcs/pk

Braided Retainer wire



Size	Ref	Pack
22mm	BLR-011	2pcs/pk
24mm	BLR-012	2pcs/pk
26mm	BLR-013	2pcs/pk
28mm	BLR-014	2pcs/pk
30mm	BLR-015	2pcs/pk

Bondable Lingual Retainers

CRIMPABLE HOOK AND STOPS

Item	Item Code	Item Name	Size	Remark
	ACS101-1	Active Crimpable Stops	Φ=2mm	10 pcs/pack With 1 pcs driver
	ACS102-1	Active Crimpable Stops With Hook (Left)	Φ=2mm L=2mm	10 pcs/pack With 1 pcs driver
	ACS102-2	Active Crimpable Stops With Hook (Right)	Φ=2mm L=2mm	10 pcs/pack With 1 pcs driver
	ACS103-1	Mini Stops	2mmxΦ1.0mm Wall Thick: 0.15mm	10 pcs/pack
	ACS103-2		Φ=1.3mm	
	ACS201-1 ACS201-2 ACS201-3	Crimpable Stops	W=2.4mm W=1.9mm W=1.6mm	10 pcs/pack
	ALC201-4	Mini Crimpable Stops	Φ=1.15mm W=1.6mm (Slot size:0.016")	10 pcs/pack
	ACT201-1	Crimpable Cross tube	W=2.5mm	10 pcs/pack
	ACH202-1	Crimpable Hook	L=1.3mm W=2.4mm	10 pcs/pack
	ACH202-1-1	Crimpable Hook	L=1.6mm W=2.4mm	10 pcs/pack
	ACH202-2	Crimpable Hook	L=2.2mm W=2.4mm	10 pcs/pack
	ACH202-3	Crimpable Hook	L=3mm W=2.4mm	10 pcs/pack
	ACH202-4-0L ACH202-4-0R	Curved Crimpable Hook-Left Curved Crimpable Hook-Right	L=3.5mm W=2.4mm	10 pcs/pack
	ACH202-4L ACH202-4R	Curved Crimpable Hook-Left Curved Crimpable Hook-Right	L=5.5mm W=2.4mm	10 pcs/pack
	ACH202-5L ACH202-5R	Spiral Crimpable Hook-Left Spiral Crimpable Hook-Righ	L=8.7mm W=2.4mm	10 pcs/pack

www.sinoortho.com

Item	Item Code	Item Name	Size(W1XW2XH) mm	Length mm	Packing & Remark
	ALB-04-07	Sliding Hook Button	Φ3.5X2.2		10 pcs/pack
	ALB-02-02	Triangular Base Crimpable Hook	6x5X5x2.15 (Base sizeXH)		10 pcs/pack
	ALB-04-08	Sliding Break Circle Hook Button	Φ3.5X5.5		10pcs/pack
	ALB-04-09	Eccentric Eyelet Button	Φ3.5X2.5		10 pcs/pack
	ALB-01-01	Hollow Base Lingual Button	3.5X2.15		10 pcs/pack
	ALB-01	Round Base Lingual Button	Φ3.5X2.15		10 pcs/pack
	ALB-02	Elliptical Base Lingual Button	4x3x2.15		10 pcs/pack
	ALB-02-01	Triangular Base Lingual Button	6x5X5x2.15 (Base sizeXH)		10 pcs/pack
	ALB-03	Ceramic Lingual button	Φ3.3X2.4		10 pcs/pack
	ALB-04	Lingual Button With Eyelet	Φ3.5X2.35		10 pcs/pack
	ALB-04-02	Direct Bond Button With Eyelet Round Base	Φ3.5X3		10 pcs/pack
	ALC-04-10	Omega Lingual Button	Φ3.5x2.15		10 pcs/pack

CRIMPABLE HOOK AND STOPS

Item	Item Code	Item Name	Size(W1XW2XH) mm	Length mm	Packing & Remark
	ALB-04-04	Double Hook Lingual Button	Φ3.5x3x10 (Hook size 10mm)		10 pcs/pack
	ALB-04-05L	Lingual button with hook Left	Φ3.5x3x6		10 pcs/pack
	ALB-04-05R	Lingual Button With Hook Right			
	ALB-04-06L	Lingual Button With Hook Left	Φ3.2x8		10 pcs/pack
	ALB-04-06R	Lingual Button With Hook Right			
	ALB-05	Extra Large Lingual Button	7.8X4.0X4.4		* Extra large 10 pcs/pack
	ALC-01	Lingual Cleat	Φ3.5X1.58		10 pcs/pack
	ALC-01-02	Elliptical Base Lingual Cleats	Φ4X3X1.58		10 pcs/pack
	ALC-04-01	Button Chain		25MM	2 pcs/pack
	ALC-04-02	Button Chain		25MM	Gold plated 2 pcs/pack
	ALC05-01	Tongue Tamer			10 pcs/pack
	ALC05-02	Bite Guide			10 pcs/pack
	ALB-04-03	Direct Bond Button With Eyelet Rectangular Base	Φ3.5X3		10 pcs/pack

www.sinoortho.com

Ligature Wire

(1 Roll/Pack)

Diameter (mm)	Weight	Ref
ϕ0.20	30g	LW-20
ϕ0.25	30g	LW-25
ϕ0.30	30g	LW-30



Ligature Wire

Preformed Ligature ties & Kobayashi Ties

		Size	Refer	Pack
	Preformed Wire Short	0.008"/0.20mm	PLT01-01A	100 pcs/Pack
		0.010"/0.25mm	PLT01-01B	100 pcs/Pack
		0.012"/0.30mm	PLT01-01C	100 pcs/Pack
	Preformed Wire Medium L=58mm	0.008"/0.20mm	PLT01-02A	50 pcs/Pack
		0.010"/0.25mm	PLT01-02B	50 pcs/Pack
		0.012"/0.30mm	PLT01-02C	50 pcs/Pack
	Preformed Wire Long L=155mm	0.008"/0.20mm	PLT01-03A	50 pcs/Pack
		0.010"/0.25mm	PLT01-03B	50 pcs/Pack
		0.012"/0.30mm	PLT01-03C	50 pcs/Pack
		0.014"/0.35mm	PLT01-03D	50 pcs/Pack

	Item	Size	Refer	Pack
	Kobayashi Wire Short	0.012"/0.30mm	KW01-01A	100 pcs/Pack
		0.014"/0.35mm	KW01-01B	100 pcs/Pack
	Kobayashi Wire Medium L=58mm	0.012"/0.30mm	KW01-02A	50 pcs/Pack
		0.014"/0.35mm	KW01-02B	50pcs/Pack
	Kobayashi Wire Long L=155mm	0.012"/0.30mm	KW01-02C	50 pcs/Pack
		0.014"/0.35mm	KW01-02D	50 pcs/Pack






Size		Ref		Ref		Ref	Pack
0.016"*0.022"	S	TSS1622	M	TSM1622	L	TSL1622	10 pcs/pk
0.017"*0.025"		TSS1725		TSM1725		TSL1725	
0.018"*0.025"		TSS1825		TSM1825		TSL1825	
0.019"*0.025"		TSS1925		TSM1925		TSL1925	

Torque Springs

Wire diameter: 0.012"





	Size	Ref	Pack
S	Upper	ARTS-011	10 pcs/pk
	Lower	ARTS-012	10 pcs/pk
M	Upper	ARTS-021	10 pcs/pk
	Lower	ARTS-022	10 pcs/pk
L	Upper	ARTS-031	10 pcs/pk
	Lower	ARTS-032	10 pcs/pk

Anterior Root Torquing Spring

Auxiliary Arch

Other Attachments



Flavor	Ref	Pack	Flavor	Ref	Pack
Original (white)	HATS-01	1PCS/PK	Orange (yellow)	HATS-04	1PCS/PK
Grape (Purple)	HATS-02	1PCS/PK	Strawberry (Pink)	HATS-05	1PCS/PK
Mint (Green)	HATS-03	1PCS/PK			

Aligner Tray Seater





Flavor	Ref	Pack
Original	ATS-01	2PCS/PK
Apple	ATS-02	2PCS/PK
Mint	ATS-03	2PCS/PK
Lemon	ATS-04	2PCS/PK
Strawberry	ATS-05	2PCS/PK

Aligner Tray Seater (Soft)



Flavor	Ref	Pack
Original	PATS-01	2PCS/PK
Grape	PATS-02	2PCS/PK
Mint	PATS-03	2PCS/PK
Lemon	PATS-04	2PCS/PK
Strawberry	PATS-05	2PCS/PK

Aligner Tray Seater (Popsicles)





Color	Ref	Pack	Color	Ref	Pack
Pink	RTR-01	1PCS/PK	Green	RTR-03	1PCS/PK
Blue	RTR-02	1PCS/PK	White	RTR-04	1PCS/PK

Retainer Retrievers



Ref	Pack
EDT-01	50pcs/pk
EDT-02	50pcs/pk

Elastic Directors (Assorted colors)



Flavor	Ref	Pack	Flavor	Ref	Pack
Apple	AOW-01	1 box/pk	Lemon	AOW-06	1 box/pk
Mint	AOW-02	1 box/pk	Osmanthus	AOW-07	1 box/pk
Orange	AOW-03	1 box/pk	Pineapple	AOW-08	1 box/pk
Strawberry	AOW-04	1 box/pk	Rose	AOW-09	1 box/pk
Original	AOW-05	1 box/pk	Grape	AOW-10	1 box/pk

Ortho Wax (10 Flavors)



Ref	Color	Pack
OK-01	Pink	7pcs/pk
OK-02	Blue	7pcs/pk
OK-03	Green	7pcs/pk
OK-04	Orange	7pcs/pk
OK-05	Purple	7pcs/pk
OK-06	Red	7pcs/pk

Ortho Kit





Ref	Color	Pack
MBA-01	Mix color	1pcs/pk
MBA-02	Green	1pcs/pk
MBA-03	Red	1pcs/pk
MBA-04	Blue	1pcs/pk
MBA-05	Yellow	1pcs/pk
MBA-06	Pink	1pcs/pk
MBA-07	Black	1pcs/pk

Magnetic box for aligner with mirror

Size:Φ8cm/δ2cm
Weight:58g/pcs

Mini Screws

GR5 Medical Grade Titanium Alloy Made.

Features




Arc-head & Smaller hexagonal head
Avoid hurting soft tissue , shorted the length and height and ground No rough angle head to reduce the feeling of foreign body

Orthodontic wire Hole design
For Fixation and Traction

Taper Mini -Screw design
(1)Distribution bone stress
(2)Increasing the stability of insertion



No tip design Mini Screw
Improving the efficiency of the insertion to avoid any broken tip



Smooth cervical region
Decreasing residue attachment and inflamed reaction

High stability efficiency
To resist the lateral force and offer a better space for osseointegration


Cylindrical thread -shape
An Optimal thread - shape design

Reinforcement Screw body
Providing Larger twisting strength



Enlarging -nek
More Space to hang close spring and power chains

Ref	Φ(mm)	L(mm)
MS-1406	1.4	6
MS-1408	1.4	8
MS-1410	1.4	10
MS-1608	1.6	8
MS-1610	1.6	10
MS-1612	1.6	12
MS-1808	1.8	8
MS-1810	1.8	10
MS-1812	1.8	12
MS-2006	2.0	6
MS-2008	2.0	8
MS-2010	2.0	10
MS-2012	2.0	12
MS-2014	2.0	14



Φ (mm)



Screw Kit: SDK-02



Screw Driver: SDH-01



Screw Driver Kit(Generation-I): SDH-01W

MINI SCREW DRIVER







Rotary Screw Driver



Rotary Screw Driver With Torque

Item	Item Name	Length	Ref
	Screw Driver Handle	90MM	SDH-02
	Contra Angle Shaft(1:1)	81MM	CAS-01
	Torque Ring		ATR-01
	Connecting rod (For Torque Use)	80MM	ACRT-01
	Connecting rod(Straight)	80MM	ACRS-01
	Long Shaft	70MM	LSD-01
	Short Shaft	35MM	SDS-01
	Rotary Use Shaft	25MM	RDS-01
	Fitting Screws	M3X5	FTS-01



Simple Driver Kits: SDK-01 (3 pcs/kit)



Full Driver Kits: FDK-01 (9 pcs/kit)

Your Trust, Our Responsibility









Pliers



Pliers Features:

1. SINO pliers has solved the problem of the tips' color changing and lip's broken by importing international advanced technology.
2. Durable use life.Specially designed zero clearance hings makes handles more lightly,connected,and would not be loosened during operation
3. Stringent Quality control for Optical Fit and Comfort,Contoured Cormers Around the Joint Area for Sim-Line Look and Feel.
4. Top quality imported medical grade stainless steel made,the pliers has been carelully grounded and polished.perfect in workmanship,excellent comosion resistant and heat resistant.
5. Lifetime Warranty Against Material Defects and Craftmanship.

Cutter Pliers

The Ligature Cutters offered have maximum cutting capacty for all types of soft wires pins & elastics;avalable in different shape.



Ligature Cutting Plier

Standard Handle: P-C001

Mini ligature Cutter smaller hend
dosign ed for easy acces to tight areas.
Ergonomic handless allow more conmfort for samall hands.
(Wire Range:.010",.014" Round Soft)



Heavy Cutter

Standard Handle: P-C002 Long Handle: P-C002L

Designed to cut hard wire up to 0.021"X0.030"(0.53mmx0.75mm), Used to cut Australia Wires,NiTi wires,Stainless Steel wires.



Distal End cutter

Standard Handle: P-C003 Long Handle: P-C003L

Mini safety hold distal end cutter Small design
Allows for easy access into light areas,Cuts and
holds arch wires with 5 mm of the bucca tube
(Wire Range:0.012"~0.022"Round,0.022"~0.028" Rectangular)



Flush Cut Distal End Cutter

Standard Handle: P-C004 Long Handle: P-C004L

Designed to cut and hold archwire distally flush to buccal tube or braekets while reducting debondings. Designed for all types wires up to 0.021"X0.030"(0.53mmx0.75mm)

Flex Pliers

Excellent for making precise and consistent loops in round and rectangular,allowing you to bend the wires without risks or problems.



Light Wire Plier

Standard Handle: P-F001

Used to make different fine loops for arch wires,and to make spring loops.Tip without cutting edge.



Light Wire Plier(with cutter)

Standard Handle: P-F002

Used to make different fine loops for arch wires,and to malke spring loops.Tip with cutting edge for wire cutting.



V Plier

Standard Handle: P-F003

V-shaped stop loop on the arch wire,including Niti arch wire,to prevent displacement of arch wries.




Young Plier

Standard Handle: P-F004

For bend various diameter-fixed small circular loops of the multi-loop edgewise wire arch,bending.




Adhesive Removing Plier

Standard Handle: P-F006

Used to strike off the orthodontic adhesive on the teeth face and without damaging the enamel.




Torque Bending-plier

Standard Handle: P-F007

For applying torque to edgewise wires Parallel grip prevents crushing of wire.Hard metal indents for wires up tu 0.56*0.70mm/22*28 inch.




Tweed Loop Plier

Standard Handle: P-F008

For bending small spring and loops.
Fof wires up to 0.7mm/28 hard.




Loop Forming Bending Plier

Standard Handle: P-F009

Concave beak is contoured for making uniform omega loops with ease rounded beak has three sections of .045" ,.060" and 0.75" diameter and .09" length Electro-etch finished tip helps prevent wire slippage and can be easily replaced.




Nance Loop Bending Plier

Standard Handle: P-F010

With four-step beaks for producing loops of different sizes in round and rectangular wires.For wires up to 0.7mm spring hard.




Kim's Plier

Standard Handle: P-F011

It is used for bending MEAW (Multi-loop edgewise arch wire)wire with the cutter in the middle part.The macimum bending capacity is 0.022*0.028 inch Rectangular Wires.The cylindrical beak has three sections:the outor diameters for the ladder beak are 1.2mm, 1.8mm and 2.2mm.




Weingart Utility Plier

Standard Handle: P-F012

Weingart utilty plier standard tip weingart fully serrated cross cut beaks at the most convenient working angle.Aso Features bowed jaws that woe't pinch the patients lips. (Wire Range:012",.028" Round/.022"*.028" Rectangular)



Three Jaw Plier

Standard Handle: P-F013

For bending wires fixed appliance technique.Specially suited for bending Nickel-Titanium wires such as remittent "TITE"and ten-sic.Wires up to max,0.5mm/20,hard to \0.48*0.64mm/19*25.



Niti Cinch Back Plier(single left/right side)

Standard Handle: P-F014

Universal NiTi ligating plier for 0.021" NiTi wires without preheating.

Pliers for remove

Safely and quickly removes posterior or bands.Pad rests on occlusal suiface and tip catches edge of band.Qualty construction and design allow for easy removal of direct bond brackets without patient discomfort.



Band Remover Plier

For removing brackets between bracket base and adhesive.Sharpening possible by the manufacturer.Can replaceable plastic tips.

Standard Handle: P-R004



Convertible Cap Removing Plier

It is designed to pry a removable cap off a convertible,buccal tube without soft muth tissue damage which is easy to handle.

Standard Handle: P-R003



Bracket Removing Plier
Posterior Bracket Removing Plier

Designed for effective Anterior and Posterior of all brackets types..

Standard Handle: P-R001 P-R002

Holding Pliers

Sturdy,rounded tips designed for twisting ligature wire and the attachments.



How's Plier

Universal pliers for the multi-band technique due to the slender working tips perfect for placing bands with pervaded brackets,especially in the lower anterior.

Standard Handle: P-H003



Tooth Rubber Ring Forceps

For expanding dental elastics separating rings before positioning.

P-H002



Crimpable Archwire Hook Plier

Desigried to crimp stops,Hooks.posts,and most sleeves wide crimping base.

Standard Handle: P-H005



Mutiple Orthodontic Plier

Combination of Bending light wire and "U"Loops and cutting hard wire. Suitable for all different sizes of delicate loops and 'U"loops.With cutter in the middle part for cutting the surplus steel wire.

Standard Handle: P-U007



Mathieu Needle Holder

It is designed to stabilize and manipulate sutures, enabling surgeons to perform suturing procedures more accurately. This steel tool features a unique spring-loaded handle and locking mechanism, allowing doctors to easily grasp and release the needle and thread.

P-M001 P-M002(Cusp)




Metal Plier Stand Ref:PS-M01

Photographic Mirrors

Made of medical grade stainless steel,never worry about broken.
Double side mirror, easy for photographic during operate.
Full polished and Curved edge, protect soft tissues.Hardness coated, Anti-sctraching, Durable life
Advanced Mirror coating processing, bring better photographice performance than
common mirrors Autoclavable up to 134°C.

- Double sides Mirror,Easy for photographing during operation.
- Water grand surface and Smooth Edge,protect soft issues.
- Hardness Plating,Anti-scratching,Durable life.
- Rhodium plating.*


Rhodium Plating Mirror have better reflectance,Higher hardness,it's hardness can reach 800-1000 vikers-hardness.
The Rhodium plating mirror have better chemical stability and better Anti-oxidation,more shining and solider,and keep it's gloss for long time.








Occlusal(Large)
DM01-01



Occlusal(Small)
DM01-02




Occlusal+Buccal
DM01-03




Occlusal
DM01-04




Adult Occlusal + Child Occlusal
DM01-05



Buccal
DM02-01




Lingual
DM02-02




Buccal
DM03-01



Lingual
DM04-01



Child Occlusal
DM05-01




Occlusal
DM05-02

Customized Available

Photographic Glass Mirrors

Sino ortho Glass mirror offer unsurpassed quanlity and the finest possible color and image transfer,Manufactured of 3mm float glass for distotion-free surface and double-side coated with chromium for maximum reflective qualities, Sino ortho Mirrors are the finest of their kind. They are compatible with autoclave sterilization.





XL Oclusal
GPM-01

Adult Oclusal
GPM-02

Child Occlusal
GPM-03


Lingual
GPM-04

Buccal
GPM-05

Buccal+Occlusal
GPM-06

Photographic Mirror Holder





Fully adjustable
Mirror can be positioned and held at any angle



SHDU-01
SS Mirror Holder Head Unit




MHSS-01
SS Mirror Holder Kit (1Holder+2Mirror)



GHDU-01
Glass Mirror Holder Head Unit



MHGL-01
Glass Mirror Holder Kit (1Holder+2Mirror)

	Ref	Item	Packing
	MHSS-01	SS Mirror Holder Kit	1 SS Miror Holder 1 Pcs DM05-01 Mirror 1 Pcs DM05-02 Mirror
	MHGL-01	Glass Mirror Holder Kit	1 Glass Mliror Holder 1 Pcs GPM-02 Mirror 1 Pcs GPM-03 Mirror

Mirrors

• Auto Defogging Photos

1. Automatic Defogging by Micro fans.
2. Safe and easy Operation
3. Large view angle for photos.
4. Stainless steel double side mirrors, Hardness coated, Mirrors can autoclavable and anti-sctrach
5. Rechargeable lithium battery.
6. Mobile phone photos saved directly, easy view and share to patients.





Occlusal ADM-01 | Buccal ADM-02 | Occlusal(S) ADM-03 | Lingual ADM-04



ADP-01 (Without Mirror)

*Mirrors fit for Auto defogging

Auto defogging photo

ADK-01



Full Kit
1 Defogger
4 Pcs Mirrors
1 Charge cable
1 Cleaning leather

ADK-02



Simple Kit
1 Defogger
2 Pcs Mirrors (ADM-01)
1 Charge cable
1 Cleaning leather

• Cleaning and Sterilization

Recommendations for Photographic Mirrors

• Gently wash mirrors with mild hand soap using alcohol to remove greasy substances such as lipstick.

• Dry the mirror with a soft leather lightly then air dry until all moisture has evaporaed.

• Any spots left on mirror will not come off after heat or autoclave sterilization. If the mirror can not be cleaned right away keep it wet or covered with a wet towel.

• Never place a mirror into an ultrasonic unit.

• Keep the mirror out of contact with all other instruments. Wrap the mirror into a microfiber cloth or paper towel and place it in the sterilizing pouch. The wrapping will absorb any steam that builds up on the mirror inside the pouch.

. Follow the sterilization recommendations as provided by the manufacturer of your sterilizer.



控制每一道工序，做好每一件产品






Photo Contrastor

Our anterior Contrastor are designed to allow upper anterior photos to be taken with a completely black background. This obscures the inside of the mouth and makes the image more presentable for patients lectures and pulolications. The Anterior Contrastor can also help show incisal translucency.
The Occlusal Contrastor is designed to simplify taking occlusal mirror views-the curved end lifts the lip away to keep it away from the teeth and prevent it from folding over the incisal edge. It also prevents lips, nostrils and mustaches from appearing in the photo.
The Anterior and Occlusal Contrastor is made of Blacked aluminum.

• Aluminum Alloy Contraster



• Silicone Sealed Contraster






With Contrastor



Without Contrastor

	PHC01-01	Photo Contrast-Occlusal	Large	L=270MM W=70MM	1 Pc/Pack
	PHC01-02	Photo Contrast-Occlusal	Small	L=228MM W=60MM	1 Pc/Pack
	PHC02-01	Photo Contrast-Lip	Large	L=2138MM W=83MM	1 Pc/Pack
	PHC02-02	Photo Contrast-Lip	Small	L=130MM W=70MM	1 Pc/Pack
	PHC03-01	Photo Contrast-Lip+Lateral	Large（Left）	L=140MM W=110MM	1 Pc/Pack
	PHC03-02	Photo Contrast-Lip+Lateral	Small（Left）	L=130MM W=100MM	1 Pc/Pack
	PHC04-01	Photo Contrast-Lip+Lateral	Large（Right）	L=140MM W=110MM	1 Pc/Pack
	PHC04-02	Photo Contrast-Lip+Lateral	Small（Right）	L=130MM W=100MM	1 Pc/Pack
	PHC05-01	Photo Contrast-Anterior	Large	70X180X60MM	1 Pc/Pack
	PHC05-02	Photo Contrast-Anterior	Small	60X170X50MM	1 Pc/Pack
	PHC06-01	Photo Contrast-Lingual		35X180X35	1 Pc/Pack

- **Silicone Sealed Contraster**

	PHC07-01	Photo Contrastor Occlusal		210X74X31	1 Pc/Pack
	PHC07-02	Photo Contraster Occlusal	GREY	210X74X31	1 Pcs/Pack
	PHC08-01	Photo Contraster (Lips)		120X80X70	1 Pc/Pack



Ref: ABH-01 1 pc/pk

Brackets Holder



Ref: ATH-01 1 pc/pk

Buccal tube Holder



Ref: AFG-01 1 pc/pk

Force Gauge



Ref: ABP-01 1 pc/pk

Brackets Positioner



Ref: ABP-02-01 1 pc/pk **Double ends Position gauge (Small)**

Ref: ABP-02-02 1 pc/pk **Double ends Position gauge (Large)**



Multifunction ruler
（Used for measuring complicated items, above 135°C Autoclaveble）

AMR01-01



Arch Former with Precision
For Round and Rectangular wire

Arch Turrets

AT01-01	Aluminum	Black	1 pc/pk

Torque 0° 5 Slots
Slot size 0.016",0.017",0.018"0.019",0.021"


Arch Turrets With Torque

AT01-03	Aluminum	Blue Color	1 pc/pk

Torque:5° 0.018" 0.019" 0.021" 7° 0.016" 0.017"

AT01-05	Aluminum	Blue Color	1 pc/pk

Torque:10° 0.018" 0.019" 0.021" 16° 0.016" 0.017"



	Ref	Description	Material	Size (mm)				
				L	W1	W2	C	H
※ White	MO-P-01	Self-Retainer Retractor(M)	PP	195.5	21.5	93	42	96
	MO-P-02	Self-Retainer Retractor(L)	PP	192	28.75	96	54.3	117.5
※ Black	MO-PB-01	Self-Retainer Retractor(M)	PP	195.5	21.5	93	42	96
	MO-PB-02	Self-Retainer Retractor(L)	PP	192	28.75	96	54.3	117.5
Clear	MO-C-01	Self-Retainer Retractors(M)	PC	195.5	21.5	93	42	96
	MO-C-02	Self-Retainer Retractors(L)	PC	192	28.75	96	54.3	117.5
Black	MO-CB-01	Self-Retainer Retractors(M)	PC	195.5	21.5	93	42	96
	MO-CB-02	Self-Retainer Retractors(L)	PC	192	28.75	96	54.3	117.5

※ Autoclavable 134℃-350℉





Lip Retractor

Size	Pack	Ref
130X92X21 (L)	1 PCS/PK	MO-01-01
118X85X17 (M)	1 PCS/PK	MO-01-02
97X70X15 (S)	1 PCS/PK	MO-01-03



Double Ends Photo Cheek Retractor

Size	Pack	Ref
100X46X38	1 PCS/PK	MO-08-01



Intraoral Cheek Retractor

Size	Pack	Ref
126X57X51 (L)	1 pcs/pk	MO-04-01
106X48X54 (M)	1 pcs/pk	MO-04-02
100X44X40 (S)	1 pcs/pk	MO-04-03



Cheek Retractor

Size	Pack	Ref
120X53X18 (L)	1 pcs/pk	MO-02-01
114X42X17 (S)	1 pcs/pk	MO-02-02



Cheek Retractor

Size	Pack	Ref
Universal	1 pcs/pk	MO-03-01



Lip Profile and Cheek Retractor

Size	Pack	Ref
150X80X50 (L)	1 pcs/pk	MO-09-01
150X70X46 (M)	1 pcs/pk	MO-09-02
150X56X38 (S)	1 pcs/pk	MO-09-03



Lip profile Retractor

Size	Pack	Ref
100X72X28 (L)	1 PCS/PK	MO-02-03
95X62X28 (S)	1 PCS/PK	MO-02-04



Double Size Retractor

Size	Pack	Ref
167X55X12 (L)	1 pcs/pk	MO-07-01
145X45X20 (S)	1 pcs/pk	MO-07-02



Black Double Size Retractor

Size	Pack	Ref
167x55x12(L)	1 PCS/PK	MO-07B-01
145X45X20(S)	1 PCS/PK	MO-07B-02



Lip Depressor

Size	Pack	Ref
173X65X29 (L)	1 pcs/pk	MO-05-01
169X53X29 (S)	1 pcs/pk	MO-05-02



O-Shape Retractor

Size	Pack	Ref
84X80X22 (L)	1 pcs/pk	MO-06-01
70X68X35 (S)	1 pcs/pk	MO-06-02




Lip & Cheek Retractor

Size	Pack	Ref
Small (White)	1 pcs/pk	MO-10-01W



Lip & Cheek Retractor

Size	Pack	Ref
Large (Blue)	1 pcs/pk	MO-10-01B



Cheek Retractor

Size	Pack	Ref
	1 pcs/pk	MO-10-02

*** Can up 134°C Autoclave, others can only cold sterilize**

Packing for
Brackets,Tubes and Bands



Paper box (sliding drawer) PK01-04

Hold 1 set of brackets (5-5)

size: 85x55x9mm



Brackets box PK01-01

Hold 20 sets brackets (7-7) with buccal tubes

size:121x100x15mm



Brackets Box PK04-02

20 grids, can hold 50 kits of brackets (5-5)

size:100X87X20mm



Brackets Box L (Black) PK01-09

Hold 1 kits of Brackets (7-7) with buccal tubes

Size: 138X80X10mm



Brackets Box M (Blue) PK01-08

Hold 1 set of brackets (7-7) with buccal tubes

size:115x44x10mm



Brackets Box M (Black) PK01-05

Hold 1 set of Brackets (7-7) with buccal tubes

size:114X45X10mm



Brackets box PK01-06

Hold 1 set of Brackets (7-7) with buccal tubes

size:114X45X10mm



Brackets Box S PK01-07

Hold 5 kits of Brackets (5-5)


size:103X60X10mm



Paper Card(White) PK01-02W

Hold 1 set of brackets (5-5)


size: 90x55mm



Paper Card (Black) PK01-02B

Hold 1 set of brackets (5-5)

size: 90x55mm



Paper Card (Black) PK01-03

Hold 1 set of brackets (5-5)

size: 90x55mm



Paper Card for Buccal tube (White) PK02-02

Hold 5 set of tubes (UR,UL,LR,LL each 5 pcs)

size: 90x55mm



Buccal Tube Box PK02-01


Hold UR,UL,LL,LR,each Grid 10 pcs of buccal tube,total 40 pcs

size:52X58X11mm



Buccal Tube Packing box PK02-03


Hold UR,UL,LL,LR,Each grid 50~100 pcs of buccal tube,total 200~500 pcs.



Molar Bands box PK03-01

Two Drawers
Hold 10 pcs each grid, bands' size from 31 to 42+

size:250X180X50mm



Plastic Bands Box PK03-02

4 Drawers for UR,UL,LR,LL


Size from 30.5#~~42.5#,half size included,10pcs bands each grid.

Size: 235X235X140mm

Our Exhibitions




USA AAO





Germany IDS





Singapore IDEM





Dubai AEEDC





Russia Dental-Expo





FDI

Our Exhibition in DENTAL
SOUTH CHINA in GUANGZHOU





Our Exhibition in
DENTECH CHINA in SHANGHAI


Our Honors

The first one who make Mono-block brackets and tubes by CNC technology.
The best team awarded by Alibaba.
The best developing company awarded by Alibaba.
The best personal award by Alibaba.
The first pilot enterprises award by Government .
The member of shuxin chamber of commerce league.



Our service

Fast response:
24 hours hot line service,
Email reply within 12 hours.
WhatsApp, Wechat, skype never drop off.
Experienced consultant one to one service
Worry free after sale service:
15 days free refund after parcel received,
90 days free replacement after parcel received.
2-5 years warrantee for different products.
OEM and products customized is available for customers



SINOORTHO®

Your Trust, Our Responsibility


Elastic--Color Guide

SINO ORTHO LIMITED

W01 2ND BLD No.4 Jinjiadu South Road,
Yuhang District, hangzhou, China, 311113

E-mail: info@sinoortho.com

www.sinoortho.com



SINO ORTHO LIMITED

Email: info@sinoortho.com Web: www.sinoortho.com
Tel/Fax: 0086-571 89011997 Mobile:0086-137-5823 5369
Address：Room W01 2nd Building Jinjiadu South Road, Yuhang District, Hangzhou City, China.